

**SCAN!** Please forward case and paper to address shown below.

**SPE RESPONSE FOR CERTIFICATE OF CORRECTION**

DATE

: 4/11/08

Paper No.: \_\_\_\_\_

TO SPE OF

: ART UNIT

2854

Eickholt, Eugene

SUBJECT

: Request for Certificate of Correction for Appl. No.:

69/161194

Patent No.:

5957050

Please respond to this request for a certificate of correction within 7 days.

Please review the requested changes/corrections as shown in the attached certificate of correction. Please complete this form (see below) and forward it with the file to:

**Certificates of Correction Branch (CofC)**

**South Tower - 9A22**

**Palm Location 7580**

**HENRY RANDALL**

**Certificates of Correction Branch**

**703-308-9390 ext. \_\_\_\_\_**

**Thank You For Your Assistance**

**The request for issuing the above-identified correction(s) is hereby:**

**Note your decision on the appropriate box.**

☒ **Approved**

**All changes apply.**

☐ **Approved in Part**

**Specify below which changes do not apply.**

☐ **Denied**

**State the reasons for denial below.**

**Comments:**

Claim 1 should not appear in the issued patent as requested. However,  
claim 1 appears at column 11, line 54, to column 12, line 4, not column

13 as stated by applicant. Columns 11-18, claims 2-26 should be  
numbered claims 1-25, respectively, and their respective dependencies  
changed accordingly as requested by applicant.

/Judy Nguyen/

2854

**SPE**

**Art Unit**